











Tubing Röhren



Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand- dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
 mm	 mm	 g	 Pcs/St	 kg	 kg	1 632
4,0 ±0,15	0,8 ±0,04	27	400	10,8	453,6	246 040 080
5,0 ±0,15	0,8 ±0,04	35	256	9,0	441,0	246 050 080
6,0 ±0,15	1,0 ±0,04	53	170	9,0	441,0	246 060 100
	1,5 ±0,10	71	170	12,1	423,5	246 060 150
7,0 ±0,15	1,0 ±0,04	63	121	7,6	425,6	246 070 100
	1,5 ±0,10	87	121	10,5	441,0	246 070 150
8,0 ±0,15	1,0 ±0,04	74	100	7,4	414,4	246 080 100
	1,5 ±0,10	102	100	10,2	428,4	246 080 150
9,0 ±0,15	1,0 ±0,04	84	81	6,8	380,8	246 090 100
	1,5 ±0,10	118	81	9,6	403,2	246 090 150
10,0 ±0,15 ±0,30	1,0 ±0,04	95	64	6,1	341,6	246 100 100
	1,5 ±0,10	134	64	8,6	421,4	246 100 150
	2,2 ±0,15	180	64	11,5	402,5	246 100 220
	3,5 ±0,25	239	64	15,3	428,4	246 100 350
11,0 ±0,20	1,0 ±0,04	105	121	12,7	444,5	246 110 100
	1,5 ±0,10	150	121	18,2	455,0	246 110 150
	2,2 ±0,15	203	50	10,2	428,4	246 110 220
12,0 ±0,20 ±0,30	1,0 ±0,04	116	100	11,6	406,0	246 120 100
	1,5 ±0,10	166	100	16,6	415,0	246 120 150
	2,2 ±0,15	227	49	11,1	466,2	246 120 220
	3,5 ±0,25	313	49	15,3	428,4	246 120 350
13,0 ±0,20	1,0 ±0,04	126	81	10,2	357,0	246 130 100
	1,5 ±0,10	181	81	14,7	441,0	246 130 150
	2,2 ±0,15	250	81	20,3	406,0	246 130 220
14,0 ±0,20	1,0 ±0,04	137	64	8,8	308,0	246 140 100
	1,5 ±0,10	197	64	12,6	441,0	246 140 150
	2,2 ±0,15	273	64	17,5	437,5	246 140 220
15,0 ±0,20	1,2 ±0,05	174	49	8,5	297,5	246 150 120
	1,8 ±0,10	250	49	12,3	430,5	246 150 180
	2,5 ±0,15	328	49	16,1	402,5	246 150 250
16,0 ±0,20 ±0,25	1,2 ±0,05	187	49	9,2	322,0	246 160 120
	1,8 ±0,10	269	49	13,2	462,0	246 160 180
	2,5 ±0,15	355	49	17,4	435,0	246 160 250
	3,5 ±0,40	460	49	22,5	450,0	246 160 350









Tubing Röhren

Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand- dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
 mm	 mm	 g	 Pcs/St	 kg	 kg	1 632
17,0 ±0,20	1,2 ±0,05	199	36	7,2	252,0	246 170 120
	1,8 ±0,10	288	36	10,4	364,0	246 170 180
	2,5 ±0,15	381	36	13,7	411,0	246 170 250
18,0 ±0,20	1,2 ±0,05	212	36	7,6	266,0	246 180 120
	1,8 ±0,10	306	36	11,0	385,0	246 180 180
	2,5 ±0,15	407	36	14,7	441,0	246 180 250
19,0 ±0,20	1,2 ±0,05	224	64	14,3	286,0	246 190 120
	1,8 ±0,10	325	64	20,8	416,0	246 190 180
	2,5 ±0,15	433	36	15,6	468,0	246 190 250
20,0 ±0,25 ±0,30	1,2 ±0,05	237	49	11,6	278,4	246 200 120
	1,8 ±0,10	344	49	16,9	405,6	246 200 180
	2,5 ±0,15	460	49	22,5	450,0	246 200 250
	4,0 ±0,40	673	36	24,2	484,0	246 200 400
22,0 ±0,25	1,2 ±0,05	262	36	9,4	225,6	246 220 120
	1,8 ±0,10	382	36	13,8	331,2	246 220 180
	2,5 ±0,15	512	36	18,4	441,6	246 220 250
24,0 ±0,25 ±0,30	1,2 ±0,05	288	36	10,4	249,6	246 240 120
	1,8 ±0,10	420	36	15,1	362,4	246 240 180
	2,5 ±0,15	565	36	20,3	406,0	246 240 250
	4,0 ±0,40	841	25	21	420,0	246 240 400
26,0 ±0,25	1,4 ±0,05	362	36	13,0	260,0	246 260 140
	2,0 ±0,10	504	36	18,1	362,0	246 260 200
	2,8 ±0,15	683	36	24,6	393,6	246 260 280
28,0 ±0,25 ±0,30	1,4 ±0,05	391	25	9,8	235,2	246 280 140
	2,0 ±0,10	546	25	13,7	328,8	246 280 200
	2,8 ±0,15	741	25	18,5	444,0	246 280 280
	4,0 ±0,40	1009	16	16,1	402,5	246 280 400
30,0 ±0,40 ±0,60	1,4 ±0,10	421	36	15,2	228,0	246 300 140
	2,0 ±0,15	588	36	21,2	318,0	246 300 200
	2,8 ±0,20	800	25	20,0	400,0	246 300 280
	4,0 ±0,40	1093	16	17,5	437,5	246 300 400
32,0 ±0,40 ±0,60	1,4 ±0,10	450	25	11,3	226,0	246 320 140
	2,0 ±0,15	631	25	15,8	316,0	246 320 200
	2,8 ±0,20	859	25	21,5	430,0	246 320 280
	4,0 ±0,40	1177	16	18,8	658,0	246 320 400







Tubing Röhren



Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand-dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
						1 632
mm	mm	g	Pcs/St	kg	kg	
33,0 ± 0,40	2,0 ± 0,15	652	27	17,6	281,6	246 330 200
34,0 ± 0,40	1,4 ± 0,10	480	16	7,7	184,8	246 340 140
	2,0 ± 0,15	673	16	10,8	259,2	246 340 200
	2,8 ± 0,20	918	16	14,7	352,8	246 340 280
	1,4 ± 0,10	509	16	8,1	194,4	246 360 140
36,0 ± 0,45	2,0 ± 0,15	715	16	11,4	273,6	246 360 200
	2,8 ± 0,20	977	16	15,6	374,4	246 360 280
± 0,6	4,0 ± 0,40	1345	16	21,5	430	246 360 400
38,0 ± 0,45	1,4 ± 0,10	538	16	8,6	172,0	246 380 140
	2,0 ± 0,15	757	16	12,1	242,0	246 380 200
	2,8 ± 0,20	1036	16	16,6	332,0	246 380 280
40,0 ± 0,60	1,6 ± 0,10	646	16	10,3	206,0	246 400 160
	2,3 ± 0,20	911	16	14,6	292,0	246 400 230
	3,2 ± 0,30	1237	16	19,8	396,0	246 400 320
	5,0 ± 0,40	1845	9	16,6	498,0	246 400 500
42,0 ± 0,60	1,6 ± 0,10	679	16	10,9	218,0	246 420 160
	2,3 ± 0,20	960	16	15,4	308,0	246 420 230
	3,2 ± 0,30	1305	16	20,9	418,0	246 420 320
44,0 ± 0,60	1,6 ± 0,10	713	16	11,4	171,0	246 440 160
	2,3 ± 0,20	1008	16	16,1	241,5	246 440 230
	3,2 ± 0,30	1372	16	22,0	330,0	246 440 320
	± 0,80	4,5 ± 0,40	1868	9	16,8	420
45,0 ± 0,70	5,0 ± 0,40	2109	9	19,0	456,0	246 450 500
46,0 ± 0,70	1,6 ± 0,10	747	16	12,0	180,0	246 460 160
	2,3 ± 0,20	1056	16	16,9	253,5	246 460 230
	3,2 ± 0,30	1439	16	23,0	345,0	246 460 320
48,0 ± 0,70	1,6 ± 0,10	780	9	7,0	168,0	246 480 160
	2,3 ± 0,20	1105	9	9,9	237,6	246 480 230
	3,2 ± 0,30	1507	9	13,6	326,4	246 480 320






Tubing Röhren



Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand- dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
 mm	 mm	 g	 Pcs/St	 kg	 kg	1 632
50,0 ±0,70	1,8 ±0,15	912	12	10,9	174,4	246 500 180
	2,5 ±0,20	1248	12	15,0	240,0	246 500 250
	3,5 ±0,30	1710	9	15,4	369,6	246 500 350
	5,0 ±0,40	2363	9	21,3	426,0	246 500 500
	7,0 ±0,60	3174	9	28,6	686,4	246 500 700
52,0 ±0,80	1,8 ±0,15	950	12	11,4	182,4	246 520 180
	2,5 ±0,20	1300	12	15,6	249,6	246 520 250
	3,5 ±0,30	1784	9	16,1	322,0	246 520 350
	5,0 ±0,40	2478	9	22,3	446	246 520 500
54,0 ±0,80	1,8 ±0,15	987	9	8,9	178,0	246 540 180
	2,5 ±0,20	1353	9	12,2	244,0	246 540 250
	3,5 ±0,30	1857	9	16,7	334,0	246 540 350
	5,0 ±0,40	2575	9	23,2	464,0	246 540 500
55,0 ±0,80	5,0 ±0,40	2627	9	23,6	472,0	246 550 500
56,0 ±0,80	1,8 ±0,15	1025	12	12,3	172,2	246 560 180
	2,5 ±0,20	1406	12	16,9	236,6	246 560 250
	3,5 ±0,30	1931	9	17,4	348,0	246 560 350
	5,0 ±0,40	2680	9	24,1	482,0	246 560 500
58,0 ±0,80	1,8 ±0,15	1063	12	12,8	179,2	246 580 180
	2,5 ±0,20	1458	12	17,5	245,0	246 580 250
	3,5 ±0,30	2005	4	8,0	280,0	246 580 350
	5,0 ±0,40	2794	4	11,2	392	246 580 500







Tubing Röhren



Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand- dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
 mm	 mm	 g	 Pcs/St	 kg	 kg	1 632
60,0 ±0,90	2,2 ±0,20	1336	12	16,0	224,0	246 600 220
	3,2 ±0,25	1910	12	22,9	320,6	246 600 320
	4,2 ±0,40	2463	4	9,9	346,5	246 600 420
	5,0 ±0,40	2890	4	11,6	406,0	246 600 500
	7,0 ±0,60	3912	4	15,6	546,0	246 600 700
	9,0 ±0,70	4840	4	19,4	679,0	246 600 990
65,0 ±0,90	2,2 ±0,20	1452	8	11,6	162,4	246 650 220
	3,2 ±0,25	2078	8	16,6	232,4	246 650 320
	4,2 ±0,40	2683	8	21,5	301,0	246 650 420
	5,0 ±0,40	3153	4	12,6	441,0	246 650 500
70,0 ±1,00	2,2 ±0,20	1567	8	12,5	150,0	246 700 220
	3,2 ±0,25	2246	8	18,0	216,0	246 700 320
	4,2 ±0,40	2904	8	23,2	278,4	246 700 420
	5,0 ±0,40	3415	4	13,7	328,8	246 700 500
	7,0 ±0,60	4650	4	18,6	446,4	246 700 700
	9,0 ±0,70	5788	4	23,2	556,8	246 700 990
75,0 ±1,00	2,2 ±0,20	1683	4	6,7	160,8	246 750 220
	3,2 ±0,25	2414	4	9,7	232,8	246 750 320
	4,2 ±0,40	3125	4	12,5	300,0	246 750 420
	5,0 ±0,40	3678	4	14,7	352,8	246 750 500
80,0 ±1,30	2,5 ±0,20	2036	4	8,1	162,0	246 800 250
	3,5 ±0,30	2814	4	11,3	226,0	246 800 350
	5,0 ±0,50	3941	4	15,8	316,0	246 800 500
	9,0 ±0,80	6737	4	26,9	538,0	246 800 990







Tubing Röhren



Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand- dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
 mm	 mm	 g	 Pcs/St	 kg	 kg	1 632
85,0 ±1,3	2,5 ±0,2	2167	4	8,7	174,0	246 850 250
	3,5 ±0,3	2998	4	12,0	240,0	246 850 350
	5,0 ±0,5	4203	4	16,8	336,0	246 850 500
90,0 ±1,3	2,5 ±0,2	2299	4	9,2	138,0	246 900 250
	3,5 ±0,3	3181	4	12,7	190,5	246 900 350
	5,0 ±0,5	4466	4	17,9	268,5	246 900 500
	7,0 ±0,7	6126	4	24,5	367,5	246 900 700
	9,0 ±0,8	7686	4	30,7	460,5	246 900 990
95,0 ±1,5	2,5 ±0,2	2430	4	9,7	145,5	246 950 250
	3,5 ±0,3	3365	4	13,5	202,5	246 950 350
	5,0 ±0,5	4729	4	18,9	283,5	246 950 500
100,0 ±1,5	2,5 ±0,2	2561	3	7,7	123,2	248 000 250
	3,0 ±0,2	3058	3	9,2	147,2	248 000 300
	3,5 ±0,3	3549	3	10,6	169,6	248 000 350
	5,0 ±0,5	4992	3	15,0	240,0	248 000 500
	7,0 ±0,7	6864	3	20,6	329,6	248 000 700
	9,0 ±0,8	8635	3	25,9	414,4	248 000 990
105,0 ±1,7	3,0 ±0,3	3216	3	9,6	153,6	248 050 300
	5,0 ±0,5	5254	3	15,8	252,8	248 050 500
110,0 ±1,7	3,0 ±0,3	3373	3	10,1	141,4	248 100 300
	5,0 ±0,5	5517	3	16,6	232,4	248 100 500
	7,0 ±0,8	7602	3	22,8	319,2	248 100 700
115,0 ±1,7	3,0 ±0,3	3531	3	10,6	148,4	248 150 300
	5,0 ±0,5	5780	3	17,3	242,2	248 150 500
	7,0 ±0,8	7971	3	23,9	334,6	248 150 700







Tubing Röhren



Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand- dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
						1 632
mm	mm	g	Pcs/St	kg	kg	
120,0 ±1,7	3,0 ±0,4	3689	3	11,1	155,4	248 200 300
	5,0 ±0,6	6042	3	18,1	253,4	248 200 500
	7,0 ±0,8	8340	3	25,0	350,0	248 200 700
	9,0 ±0,9	10533	1	10,5	367,5	248 200 990
125,0 ±1,7	3,0 ±0,4	3846	3	11,5	161,0	248 250 300
	5,0 ±0,5	6305	3	18,9	264,6	248 250 500
	9,0 ±0,9	11008	1	11,0	385,0	248 250 990
130,0 ±1,8	3,0 ±0,5	4004	2	8,0	112,0	248 300 300
	5,0 ±0,6	6568	2	13,1	183,4	248 300 500
	7,0 ±0,9	9078	2	18,2	254,8	248 300 700
	9,0 ±0,9	11482	1	11,5	402,5	248 300 990
135,0 ±1,8	3,0 ±0,5	4161	2	8,3	116,2	248 350 300
	5,0 ±0,6	6831	2	13,7	191,8	248 350 500
	7,0 ±0,9	9447	2	18,9	264,6	248 350 700
140,0 ±1,9	3,0 ±0,5	4319	2	8,6	103,2	248 400 300
	5,0 ±0,6	7093	2	14,2	170,4	248 400 500
	7,0 ±0,9	9816	2	19,6	235,2	248 400 700
145,0 ±1,9	3,0 ±0,5	4477	2	9,0	108,0	248 450 300
	5,0 ±0,6	7356	2	14,7	176,4	248 450 500
150,0 ±2,0	3,0 ±0,5	4634	1	4,6	110,4	248 500 300
	5,0 ±0,6	7619	1	7,6	182,4	248 500 500
	7,0 ±0,9	10554	1	10,6	254,4	248 500 700
	9,0 ±1,0	13380	1	13,4	321,6	248 500 990

Tubing Röhren



Outside Diameter	Wall Thickness	Weight per 1 pc	Number of pcs in box	Weight of box	Weight of pallet	Article Code
Aussen Durchmesser	Wand- dicke	Gewicht pro 1 Stück	Anzahl Röhren im Karton	Gewicht pro Karton	Gewicht pro Palette	Artikel Nummer
						1 632
mm	mm	g	Pcs/St	kg	kg	
155,0 ±2,0	5,0 ±0,7	7881	1	7,9	221,2	248 550 500
	7,0 ±1,0	11292	1	11,3	271,2	248 600 700
160,0 ±2,0	5,0 ±0,7	8144	1	8,1	194,4	248 600 500
	7,0 ±1,0	11292	1	11,3	271,2	248 600 700
165,0 ±2,0	5,0 ±0,7	8407	1	8,4	168,0	248 650 500
	7,0 ±1,0	11661	1	11,7	234,0	248 650 700
170,0 ±2,0	5,0 ±0,7	8699	1	8,7	174,0	248 700 500
	7,0 ±1,0	12030	1	12,0	240,0	248 700 700
	9,0 ±1,1	15278	1	15,3	306,0	248 700 990
180,0 ±2,2	5,0 ±0,7	9226	1	9,2	138,0	248 800 500
	7,0 ±1,0	12768	1	12,8	192,0	248 800 700
	9,0 ±1,2	16227	1	16,2	243,0	248 800 990